

EASY PUFF®

SPECIFICATIONS

*• Composition	÷ Average Thickness	Q Carrier	& Certifications
PU	145 microns	adhesive polyester	REACH n° 1907/2006/EU VEGANOK AZIENDA N. 1004

APPLICATION INSTRUCTIONS

	SUGGESTED CUTTING SETTINGS			TRANSFER SETTINGS			
cotton, polyester, poly/cotton blends not treated with silion or died with sublimation inks	Blade	<u></u> Pressure	» Speed	Time	Temperature	Pressure	Peel
	45°	70 gf	25 cm/sec	10-12 sec	135-140°C	medium	hot

- \rightarrow Cut mirrored and peel off excess material
- → Place the decoration on the fabric
- → Apply following the recommended parameters with a heat press (not with a home iron)
- → Remove the carrier while hot

PRODUCT HIGHLIGHTS

- → Easy to cut and weed, thanks to the sticky carrier
- → 3D-effect
 - ! Even when using the recommended parameters, due to the different chemistry of each colour, the result may slightly vary. ! We recommend to perform a test before launching a production! (+/- 10°C, +/- 5 sec).

CARE AND WASHING RECOMMENDATIONS

Washing	Ironing	Tumble dry	Ony cleaning	Storage Shelf Life	Storage Temperature	Storage Conditions	♦ ► Position
Hand wash or inside out in cold water	NO	NO	NO	Up to 2 years	Between 18°C and 26°C	Away from sunlight and dust	Vertical

- → Wait 24 hours after the application before the first wash
- → Respect the textile recommendations
- → Do not bleach or use aggressive chemical agents