


MetaGuard Overlaminates



9

MetaGuard Overlaminates

MetaGuard 700	Premium Grade PVC	9.1
MetaGuard X	Vehicle Wrap PVC	9.2
MetaGuard 900	Vehicle Wrap Cast PVC	9.2
MetaGuard 305	Intermediate Grade PVC	9.3
MetaGuard 302	Intermediate Grade PVC	9.3
MetaGuard Decor	Textured PVC Overlaminate	9.4
MetaGuard FloorArt	Textured Floor Overlaminate	9.4
MetaGuard 105	Gloss Overlaminate	9.5
MetaGuard 102	Matt Overlaminate	9.5
MetaGuard 620	Polyester	9.6
MetaGuard 670	Optically Clear Cast	9.6
MetaGuard 400	Lexan® Anti-Scuff Polycarbonate Overlaminate	9.7
MetaGuard 850	Anti Graffiti PVDF	9.7
MetaGuard 850RW	Anti Graffiti Polyester Overlaminate	9.7
MetaGuard 205	Dry Wipe Polypropylene Overlaminate	9.8
MetaGuard 206	Dry Wipe Coated Polymeric PVC	9.8
MetaGuard MG-UV	Overlaminate for UV Prints	9.9
MetaGuard MG-UV-X	Overlaminate for UV Prints	9.9
MetaGuard MG-UV 700	Overlaminate for UV Prints	9.9

MetaGuard 700 – Premium Grade PVC Overlaminates

MetaGuard 700 is recommended for Metamark MD5, and as a matched overlaminate prevents tunnelling or delamination. The 70 micron polymeric film gives a high level of abrasion resistance and contains UV stabilisers. It can be used on flat or gently curved surfaces such as vehicle graphics. It is available in Gloss or Satin finish. Fire Rating Class B [BS EN 13501-1:2007.] MetaGuard 700 features the latest Apex adhesive.

- 70 Micron Polymeric Vinyl
- Solvent-Based Adhesive
- Layflat PE Liner
- Fire Rating Class B
- Protects Prints from Abrasion and UV

- MG-705 Gloss
- MG-703 Satin
- MG-702 Matt

Resistance Values

Abrasion	High
UV Fading	Medium
Chemical/Graffiti	Low

Roll Width	Roll Length	price £ per roll + vat			
		1-4 rolls	5-9 rolls	10-19 rolls	20+ rolls
760mm	25m	72.60			
	50m	145.00	140.10	135.00	123.70
1370mm	25m	130.90			
	50m	259.50	252.30	242.90	223.10
1520mm	25m	145.00			
	50m	289.90	280.00	269.60	247.60
1600mm	25m	152.80			
	50m	305.20	294.60	283.60	260.50

MG-705 is available at 1360mm roll width.

MetaGuard Overlaminates

MetaGuard X – Cylinder Cast Digital Wrapping Overlamine (Matched to MD-X)

MetaGuard X is a 50 micron Cylinder Cast, soft PVC Overlamine. Matched to Metamark MD-X digital wrapping media, this system provides assurance of dimensional stability and trouble free application over 3D surfaces, compound curves and recesses. The Apex assured solvent-based adhesive delivers high performance, and is suitable for cold overlamination. Finishing prints with MetaGuard X prevents abrasion, extends colour fastness, and also allows offers easier application.

- 50 Micron Cylinder Cast Overlamine
- Apex Solvent based adhesive
- Layflat PE Liner
- Durability 7 years (unprinted)
- Protects prints from abrasion and UV

MG-X-005 Gloss
MG-X-002 Matt

Resistance Values

Abrasion High
UV Fading Medium
Chemical/Graffiti Low

Roll Width	Roll Length	price £ per roll + vat		
		1-4 rolls	5-9 rolls	10-19 rolls
760mm	25m	89.70		
	50m	179.40	172.60	166.10
1370mm	25m	153.50		
	50m	307.20	295.60	284.20
1600mm	25m	179.40		
	50m	358.90	345.20	332.00

MG-X-002 is available 1370mm only)

*1600mm can be supplied slit to 1520 if required

MetaGuard 900 – Vehicle Wrap Cast Vinyl Overlamine

A cast 53 micron highly conformable vinyl overlamine. This clear gloss vinyl is suitable for vehicle wrapping or application over demanding surfaces, and provides a matched system with Metamark MD7.

- 53 Micron Cast Vinyl
- Solvent-Based Adhesive
- Layflat PE Liner
- Protects Prints from Abrasion and UV
- Highly Conformable for Vehicle Wraps

MG-905 Gloss

Resistance Values

Abrasion High
UV Fading Medium
Chemical/Graffiti Low

Roll Width	Roll Length	price £ per roll + vat			
		1-4 rolls	5-9 rolls	10-19 rolls	20+ rolls
760mm	15m	121.20			
	45m	340.00	320.60	302.20	281.50
1370mm	15m	218.40			
	45m	612.70	577.90	545.10	507.10
1520mm	15m	242.50			
	45m	679.70	641.30	604.80	562.50

MetaGuard Overlaminates

MetaGuard 305 – Intermediate Grade PVC Overlaminates

MetaGuard 305 is recommended for Metamark MD3, and as a matched overlaminates prevents tunnelling or delamination. The 70 micron film gives a high level of abrasion resistance and contains UV stabilisers. It can be used on flat or gently curved surfaces such as vehicle graphics. Fire Rating Class B [BS EN 13501-1:2007]. MetaGuard 305 features the latest [Apex](#) adhesive.

- 70 Micron Calendered Vinyl
- Solvent-Based Adhesive
- Kraft Liner
- Fire Rating Class B
- Protects Prints from Abrasion and UV

MG-305 Gloss

Resistance Values

Abrasion	High
UV Fading	Medium
Chemical/Graffiti	Low

Roll Width	Roll Length	price £ per roll + vat			
		1-4 rolls	5-9 rolls	10-19 rolls	20+ rolls
760mm	25m	41.30			
	50m	82.50	78.50	74.70	70.90
1370mm	25m	74.20			
	50m	148.30	141.30	134.50	127.70
1520mm	25m	82.30			
	50m	164.40	156.50	149.10	141.70
1600mm	25m	86.50			
	50m	173.20	164.90	157.10	149.20

MetaGuard 302 – Intermediate Grade PVC Overlaminates

MetaGuard 302 Matt Overlaminates is matched to Metamark MD3, proving protection from abrasion and UV. The anti-reflection finish is ideal for indoor applications with overhead lighting. It can be applied to flat or gently curved surfaces, and has a Class B Fire Rating. MetaGuard 302 now has greater improved clarity, maximising the definition and colour vibrancy of your prints. MetaGuard 302 features the latest [Apex](#) adhesive.

- 70 Micron Calendered Vinyl
- Solvent-Based Adhesive
- Kraft Liner
- Fire Rating Class B
- Protects Prints from Abrasion and UV

MG-302 Matt

Resistance Values

Abrasion	High
UV Fading	Medium
Chemical/Graffiti	Low

Roll Width	Roll Length	price £ per roll + vat			
		1-4 rolls	5-9 rolls	10-19 rolls	20+ rolls
760mm	25m	47.80			
	50m	95.50	91.10	86.00	77.40
1370mm	25m	86.20			
	50m	172.60	164.40	155.20	139.70
1520mm	25m	95.70			
	50m	191.50	182.70	172.40	155.20
1600mm	25m	100.60			
	50m	201.40	191.80	181.10	162.90

MetaGuard Overlaminates

MetaGuard Decor – Textured PVC Overlaminates

The MetaGuard Decor range of textured overlaminates provide a highly durable protection over Metamark Digital films. These wall covering films give peace of mind and scuff resistance in high traffic areas. The attractive textured finish hides many imperfections on the wall, and enhances depth of colour to the print. The 150 micron polymeric films offer excellent dimensional stability.

- 150 Micron Polymeric Vinyl
- Solvent based adhesive
- Layflat PE Liner
- Protects prints from abrasion and UV

MG-W-001 Artisan
MG-W-002 SandTex
MG-W-003 BrushStroke

Resistance Values	
Abrasion	High
UV Fading	Medium
Chemical/Graffiti	Low

Roll Width	Roll Length	price £ per roll + vat		
		1-2 rolls	3-4 rolls	5+ rolls
760mm 1370mm 1520mm	25m	142.90	136.20	129.70
		257.60	245.50	233.80
		285.90	272.20	259.30

MetaGuard 'FloorArt' – Textured Floor Overlaminates

MetaGuard FloorArt is a textured floor overlaminate offering decor and promotional branding opportunities for short term indoor use. The 100 micron matt embossed film gives a durable protection to graphics, with easy to clean finish. This versatile product can also be applied to wall graphics, for a one product solution. MetaGuard FloorArt has an anti-slip finish tested in accordance with BS 7676-2:2002 certification (Slider 96) and UK Slip Resistance Guidelines. The recommended matched media is Metamark MD3-B or MDP-H High Tack. Suitable for use with Solvent, Eco Solvent and Latex prints.

- 100 Micron PVC
- Textured Embossed Overlaminates
- Slip certification to BS-7676-2:2002 (Slider 96)
- For Floor and Wall Covering Applications

MG-F MetaGuard 'FloorArt'

Roll Width	Roll Length	price £ per roll + vat		
		1-2 rolls	3-4 rolls	5+ rolls
760mm	10m	33.20		
	50m	144.40	137.50	130.90
1370mm	10m	59.80		
	50m	260.20	247.80	236.00
1520mm	10m	66.40		
	50m	288.70	274.80	261.70

MetaGuard Overlaminates

MetaGuard 105 – Gloss Overlamine

MetaGuard 105 is a gloss finish calendered PVC overlamine, providing a matched system for use with Metamark MD-100. It offers greater durability of the print with increased resistance to abrasion. Applications include advertising, point of sale, windows, advertising boards and other promotional applications. Fire Rating Class B [BS EN 13501-1:2007]

- 70 Micron Overlamine
- Permanent Adhesive (Solvent-free)
- Fire Rating Class B
- Protects Prints from Abrasion and UV

MG-105 Gloss

Resistance Values

Abrasion	High
UV Fading	Medium
Chemical/Graffiti	Low

Roll Width	Roll Length	price £ per roll + vat			
		1-4 rolls	5-9 rolls	10-19 rolls	20+ rolls
760mm	50m	77.50	74.00	70.10	65.40
1370mm		132.80	126.90	120.30	111.90
1600mm		155.10	148.00	140.40	130.80

MetaGuard 102 – Matt Overlamine

MetaGuard 102 is a matt finish calendered PVC overlamine, providing a matched system for use with Metamark MD-100. It offers greater durability of the print with increased resistance to abrasion. Applications include advertising, point of sale, windows, advertising boards and other promotional applications. Fire Rating Class B [BS EN 13501-1:2007]

- 70 Micron Overlamine
- Permanent Adhesive (Solvent-free)
- Fire Rating Class B
- Protects Prints from Abrasion and UV

MG-102 Matt

Resistance Values

Abrasion	High
UV Fading	Medium
Chemical/Graffiti	Low

Roll Width	Roll Length	price £ per roll + vat			
		1-4 rolls	5-9 rolls	10-19 rolls	20+ rolls
760mm	50m	81.30	77.40	73.60	68.40
1370mm		139.00	132.60	125.80	115.00
1600mm		162.50	155.00	147.10	134.40

MetaGuard Overlaminates

MetaGuard 620 – Optically Clear Polyester

MetaGuard 620 provides maximum UV protection & exhibits good anti-graffiti properties. This super thin 25 micron polyester has a high gloss finish and clear adhesive with UV inhibitors offering enhanced colour definition of prints. It is suitable for use on flat glass only. It provides a matched system for overlaminating Metamark Clear Vision.

- 25 Micron High Gloss Polyester
- Crystal Clear Solvent-Based Adhesive
- For Use on Flat Surfaces Only (Non Conformable)
- Protects Prints from Abrasion and UV
- Also Provides Modest Protection from Graffiti

MG-620 High Gloss

Resistance Values

Abrasion	High
UV Fading	High
Chemical/Graffiti	High

		price £ per roll + vat		
Roll Width	Roll Length	1-2 rolls	3-4 rolls	5+ rolls
760mm	25m	117.00		
	50m	219.00	208.60	198.10
1370mm	25m	204.70		
	50m	382.50	364.20	350.40
1520mm	25m	234.50		
	50m	438.00	417.20	396.20

MetaGuard 670 – Optically Clear Cast Overlaminates

MetaGuard 670 is an optically clear cast overlaminates, for use on Clear Vision. The conformable 40 micron cast film allows application to curved glass, while providing UV and abrasion resistance.

- 40 Micron Cast PVC
- High Gloss Finish
- Crystal Clear Solvent-Based Adhesive
- Protects Prints from Abrasion and UV
- Slightly Conformable - for Use on Curved Glass

MG-670 High Gloss

Resistance Values

Abrasion	High
UV Fading	Medium
Chemical/Graffiti	Low

		price £ per linear metre+ vat			
Roll Width		1-49m	50-199m	200-499m	500m+
760mm		10.70	10.10	9.10	8.50
1370mm	Per Linear Metre	19.40	18.20	16.20	15.40
1520mm		21.40	20.20	18.00	16.90

MetaGuard Overlaminates

MetaGuard 400 – Lexan® Anti-Scuff Polycarbonate Overlaminates

This product provides a matched system when used with Metamark Pop Up Display Polyester. It has a satin crystal effect finish, enhancing the appearance of the print as well as providing excellent scuff resistance and additional rigidity to the flexible display panels. The 75 micron Polycarbonate product has a polyester liner and crystal clear adhesive to provide added vibrancy to the print.

- 75 Micron Lexan® Polycarbonate
- Water Clear Adhesive
- Anti-reflection Crystal Finish
- High Scuff Resistance

MG-403 Satin

Resistance Values

Abrasion	Very High
UV Fading	Medium
Chemical/Graffiti	Low

Roll Width	Roll Length	price £ per roll + vat		
		1-2 rolls	3-4 rolls	5+ rolls
914mm	10m	130.00		
	20m	248.50	239.50	230.40
1270mm	10m	180.10		
	20m	344.50	332.10	319.50

MetaGuard 850 – Anti Graffiti PVDF Overlaminates

MetaGuard 850 anti-graffiti film provides maximum protection. The 50 micron PVDF film offers a very high level of colour stability from UV, and protection from graffiti, chemicals and abrasion. It can be applied onto flat or slightly curved surfaces. Refer to the data sheet for cleaning recommendations.

- 50 Micron PVDF
- Clear Solvent-Based Adhesive
- Protects Prints from Abrasion and UV
- Protection from Graffiti and Chemicals

MG-850 Gloss

Resistance Values

Abrasion	High
UV Fading	High
Chemical/Graffiti	Very High

Roll Width		price £ per linear metre + vat			
		1-49m	50-199m	200-499m	500m+
685mm		14.50	13.40	12.60	12.30
1220mm	Per Linear Metre	23.10	21.00	19.50	18.50
1370mm		25.80	23.50	21.70	20.90

MetaGuard 850RW – Anti Graffiti Polyester Overlaminates

MetaGuard 850RW is a 20 micron high gloss polyester self-adhesive 'Anti-Graffiti' overlaminates that provides protection against graffiti and chemicals. The film and adhesive both contain UV stabilisers to prolong the life of the print, and a high level of resistance to weathering. It is supplied with a solvent-based adhesive for trouble free application, with a clear polyester liner. The 20 micron polyester film provides a thin lamination over the print and can be applied onto flat or 2D curved surfaces.

- 20 Micron High Gloss Polyester
- Clear Solvent-Based Adhesive
- Protects Prints from Abrasion and UV
- Protection from Graffiti and Chemicals

MG-850RW Gloss

Resistance Values

Abrasion	High
UV Fading	High
Chemical/Graffiti	Very High

Roll Width		price £ per linear metre + vat			
		1-49m	50-199m	200-499m	500m+
1220mm		12.20	11.30	10.60	9.50
1370mm	Per Linear Metre	13.60	12.70	11.80	10.90

MetaGuard Overlaminates

MetaGuard 205 – Dry Wipe (White Board) Overlamine

This Dry Wipe Overlamine can be applied over printed Metamark digital media such as MD3, to create dry wipe panels with permanent base graphics. The product is suitable for use with Dry Wipe marker pens, for indoor use only. The clear coated film wipes clean with a dry cloth.

- 25 Micron Polypropylene
- Indoor Use
- For Use with Dry Wipe Marker Pens

MG-205 Gloss

Resistance Values

Abrasion
UV Fading
Chemical/Graffiti

Indoor Use Only

		price £ per roll + vat		
Roll Width	Roll Length	1-2 rolls	3-4 rolls	5+ rolls
645mm	15m	50.70		
	45m	146.70	141.40	135.90
1295mm	15m	101.10		
	45m	293.00	282.70	271.70

MetaGuard 206 – Dry Wipe (White Board) Overlamine

MetaGuard 206 is a high gloss overlamine and can be applied over printed Metamark digital media, to create dry wipe panels with printed graphics. The product is suitable for use with Dry Wipe marker pens only. The specially coated PVC film provides easy clean removal of dry wipe pens, and also offers good layflat dimensional stability. MetaGuard 206 is suitable for overlaminate prints on flat surfaces, for indoor use only.

- 100 Micron Polypropylene
- Indoor Use

MG-206 Clear Gloss

Resistance Values

Abrasion
UV Fading
Chemical/Graffiti

Indoor Use Only

		price £ per roll + vat		
Roll Width	Roll Length	1-2 rolls	3-4 rolls	5+ rolls
675mm	25m	135.30		
	50m	270.60	260.90	250.80
1350mm	25m	270.60		
	50m	541.00	521.90	501.60

Roll Width	Roll Length	Per linear metre
675mm		5.40
1350mm	Price Per Linear Metre	10.80

MetaGuard Overlaminates

MetaGuard MG-UV – Overlaminates for UV prints

MetaGuard UV Overlaminates have been developed for the finishing and protection of UV Prints. The specially formulated solvent based adhesive gives a high bond to the low energy surface of UV prints and overcomes silvering. Available in a Matt or Gloss finish, it offers a very high level of clarity and definition to the print. The 70 micron film gives a high level of abrasion resistance, and can be used on flat or simple curves. Fire Rating Class B [BS EN 13501-1:2007].

- 70 Micron PVC
- Overlaminates for UV prints
- Solvent-Based Adhesive
- Fire Rating Class B

MG-UV-102 MetaGuard UV Matt
MG-UV-105 MetaGuard UV Gloss

Roll Width	Roll Length	price £ per roll + vat		
		1-2 rolls	3-4 rolls	5+ rolls
1370mm	50m	211.80	201.20	192.10
	100m	423.50	403.40	384.00
1600mm	50m	247.40	235.50	224.30
	100m	494.60	471.20	448.50

Metamark UV-X – Overlaminates for UV prints

MetaGuard UV-X is a 50 micron Cylinder Cast soft PVC Overlaminates for use with UV Prints. The specially formulated solvent based adhesive gives a high bond to the low energy surface of UV prints and overcomes silvering. Overlaminating with MetaGuard UV-X provides increased resistance to abrasion and durability of the print, and offers UV inhibitors. It is suitable for interior or exterior applications over flat or semicurved surfaces

- 50 Micron PVC
- Overlaminates for UV prints
- Solvent-Based Adhesive

MG-UV-X-005 MetaGuard UV-X Gloss
MG-UV-X-002 MetaGuard UV-X Matt

Roll Width	Roll Length	price £ per roll + vat	
		1-4 rolls	5+ rolls
1370mm	50m	307.20	295.60
1600mm		358.90	345.20

Metamark UV 700 – Overlaminates for UV prints

MetaGuard UV 700 is a 70 micron polymeric calendared vinyl overlaminates for use with UV Prints. The specially formulated solvent based adhesive gives a high bond to the low energy surface of UV prints and overcomes silvering. Overlaminating with MetaGuard UV 700 provides increased resistance to abrasion and durability of the print, and offers UV inhibitors. It is suitable for interior or exterior applications over flat or semi-curved surfaces.

- 70 Micron PVC
- Overlaminates for UV prints
- Solvent-Based Adhesive
- Fire Rating Class B

MG-UV-705 MetaGuard UV Gloss

Roll Width	Roll Length	price £ per roll + vat	
		1-4 rolls	5+ rolls
1370mm	50m	259.50	252.30
1600mm		305.20	294.60



We offer free slitting on Metamark Overlaminates and Digital Materials